

Certificate No:
MED-B-9768
Item No:
A.1/3.1
Job Id:
344.1-000284-30

EC TYPE EXAMINATION CERTIFICATE

Application of: Council Directive 96/98/EC of 20 December 1996 on Marine Equipment as amended by directive 2013/52/EU, issued as "Forskrift om Skipsutstyr" by the Norwegian Maritime Directorate. This Certificate is issued by DNV GL under the authority of the Government of the Kingdom of Norway.

This is to certify:

That the Primary deck coverings


with type designation(s)
Weber.floor 4690N Marine Combi

Issued to
Weber Saint-Gobain Byggevarer AS
OSLO, Norway

is found to comply with the requirements in the following Regulations/Standards:
Annex A.1, item No. A.1/3.1 and Annex B, Module B in the Directive. SOLAS 74 as amended, Regulation II-2/4, II-2/6 & X/3, 2000 HSC Code 7 and IMO FTP Code

Further details of the equipment and conditions for certification are given overleaf.

Høvik, 2015-03-10
for **DNV GL**



This Certificate is valid until
2019-10-02



Marianne Strand Valderhaug
Head of Department

Notified Body No.: **0575**

DNV GL local office:
Oslo Maritime and CAP



Rolf Emilsen
Surveyor



The Certificate is subject to terms and conditions overleaf. Any significant changes in design or construction of the product, or amendments to the Directive or Standards referenced above may render this Certificate invalid. The product liability rests with the manufacturer or his representative in accordance with Council Directive 96/98/EC, as amended. The Mark of Conformity may only be affixed to the product and a Declaration of Conformity may only be issued when the production/product assessment module referred to in the council directive, is fully complied with.

TAT

Certificate No: **MED-B-9768**
Item No: **A.1/3.1**
Job Id: **344.1-000284-30**

Product description

"Weber.floor 4690N Marine Combi"

is a fine smoothing and slope building material. The product consists of dry powder that prior to use is mixed with water (22-28% by weight). The product is then poured onto the subfloor at a layer thickness of 0,5-50mm. Approx. density 1.855 g/cm³.

Application/Limitation

Primary deck covering, not generating excessive quantities of smoke nor toxic products in fire.

Approved for use throughout the accommodation.

Not to be used as an integrated part of a horizontal class A division, unless tested as such.

The product may also be used as floor covering.

Each product is to be supplied with its manual for installation/application and maintenance.

Type Examination documentation

Test report No. PX26920-1 dated 12 November 2012 from SP Technical Research Institute of Sweden.

Tests carried out

Tested according to IMO FTPC Part 5, in compliance with Part 6, and annex 2 item 2.2 and in compliance with IMO 2010 FTP Code Ch. 8.

Marking of product

The product or packing is to be marked with name of manufacturer, type designation, fire-technical rating, MED Mark of Conformity and USCG approval number if applicable (see below).

Mark of Conformity

The manufacturer is allowed to affix the Mark of Conformity according to Article 11 in the Council Directive 96/98/EC on Marine Equipment and shall issue a Declaration of Conformity, only when the module D or E or F of Annex B in the same directive is fully complied with.

Module D: The quality system for production and testing shall be approved by the Notified Body.

Module E: The quality system for inspection and testing shall be approved by the Notified Body.

Module F: Compliance of the products to type as described in this EC Type-Examination Certificate must be verified by the Notified Body who also shall issue a Certificate of Conformity.

USCG Approval

An U.S. Coast Guard approval number will be assigned to the equipment when the production module has been completed and will appear on the production module certificate (module D, E or F), as allowed by the "Agreement between the United States of America and the EEA EFTA states on the mutual recognition of certificates of conformity for marine" signed 17 October 2005.

